ELSEVIER

Analytica Chimica Acta 398 (1999) 343–345

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Abonyi, J., see Barkó, G. 219
Achatz, S., see Glaus, M.A. 111
Adami, G., see Barbieri, P. 227
Ala-Kleme, T., see Kulmala, S. 41
Andersson, C.A., see Barbieri, P. 227
Angnes, L., see Vieira, I.d.C. 145
Arai, N., see Minamisawa, H. 289
Arikawa, Y., see Lee, K.H. 161
Aupiais, J.
—, N. Dacheux, A.C. Thomas and S. Matton, S.
Study of neptunium measurement by alpha liquid scintillation with rejection of β–γ emitters 205
Azubel, M.
—, Fernández, F.M., Tudino, M.B. and Troccoli, O.E.
Novel application and comparison of multivariate calibration for the simultaneous determination of Cu, Zn and Mn at trace levels using flow injection diode array spectrophotometry 93

Barbieri, P.
—, Andersson, C.A., Massart, D.L., Predonzani, S., Adami, G. and Reisenhofer, E.
Modeling bio-geochemical interactions in the surface waters of the Gulf of Trieste by three-way principal component analysis (PCA) 227
Barkó, G.
—, Abonyi, J. and Hlavay, J.
Application of fuzzy clustering and piezoelectric chemical sensor array for investigation on organic compounds 219
Bermejo-Barrera, A., see Bermejo-Barrera, P. 263
Bermejo-Barrera, P.
—, Verdura-Constenla, E.M., Moreda-Piñeiro, A. and Bermejo-Barrera, A.
Rapid acid leaching and slurry sampling procedures for the determination of methyl-mercury and total mercury in human hair by electrothermal atomic absorption spectrometry 263
Blanco, M.
—, Coello, J., Iturriaga, H., Maspoch, S. and Porcel, M.
Simultaneous enzymatic spectrophotometric determination of ethanol and methanol by use of artificial neural networks for calibration 83
Blankwater, Y.J., see Setford, S.J. 13
Blum, L.J., see Marquette, C.A. 173
Bro, R., see Smilde, A.K. 237

Calatayud, J. Martínez, see Icardo, M. Catalá 311
Casella, I.G.
—, Guascito, M.R. and Cataldi, T.R.I.
Electrocatalysis and amperometric detection of alditols and sugars at a gold–nickel composite electrode in anion-exchange chromatography 153
Cataldi, T.R.I., see Casella, I.G. 153
Chatterjee, A.
— and Shibata, Y.
Determination of trimethylselenonium ion by flow injection hydride generation atomic absorption spectrometry 273
Chodura, A., see Glaus, M.A. 111
Coello, J., see Blanco, M. 83
Conway, S., see O'Neill, S. 1
Coulet, P.R., see Marquette, C.A. 173

Dacheux, N., see Aupiais, J. 205
Dasgupta, P.K., see Li, J. 33
Davison, W., see Zhang, H. 329
De Stefano, C.
—, Gianguzza, A., Piazzese, D. and Sammartaus, S.
Speciation of low molecular weight carboxylic ligands in natural fluids: protonation constants and association with major components of seawater of oxydiacetic and citric acids 103
Diamond, D., see O'Neill, S. 1
Dreveny, D.
—, Klammer, C., Michalowsky, J. and Gübitz, G.
Flow-injection- and sequential-injection immunoassay for triiodothyronine using acridinium ester chemiluminescence detection 183

Egan, O., see O'Neill, S. 1
El'skaya, A.V., see Piletskaya, E.V. 49
Evmiridis, N.P.
—, Thanasoulias, N.K. and Vlessidis, A.G.
Determination of glucose and fructose in mixtures by a kinetic method with chemiluminescence detection 191

Fang, Z.L., see Pu, Q.S. 65
Fatibello-Filho, O., see Vieira, I.d.C. 145
Fernández, F.M., see Azubel, M. 93
Fischer, K., see Glaus, M.A. 111

Gübitz, G., see Dreveny, D. 183
García-Beltrán, L., see Sabé, R. 279
Gianguzza, A., see De Stefano, C. 103

Glaus, M.A.
—, van Loon, L.R., Achatz, S., Chodura, A. and Fischer, K.
Degradation of cellulosic materials under the alkaline conditions of a cementitious repository for low and intermediate level radioactive wastePart I: Identification of degradation products 111
Guascito, M.R., see Casella, I.G. 153

Helin, M., see Kulmala, S. 41
Hiratsuka, A., see Lee, K.H. 161
Hlavay, J., see Barkó, G. 219
Huber, C.
—, Werner, T., Krause, C., Wolfbeis, O.S. and Leiner, M.J.P.
Overcoming the pH dependency of optical sensors: a pH-independent chloride sensor based on co-extraction 137

Icardo, M. Catalá
—, Torro, I. Gil, Zamora, L. Lahuerta and Calatayud, J. Martínez
Flow spectrophotometric determination of ammonium ion 311
Ishikawa, T., see Lee, K.H. 161
Iturriaga, H., see Blanco, M. 83

Karube, I., see Lee, K.H. 161
Klammer, C., see Dreveny, D. 183
Kobayashi, Y., see Nakano, N. 305
Kröger, S., see Setford, S.J. 13
Krause, C., see Huber, C. 137
Kulmala, S.
—, Ala-Kleme, T., Väre, L., Helin, M. and Lehtinen, T.
Hot electron-induced electrogenerated luminescence of Tl(I) at disposable oxide-covered aluminum electrodes 41
Kuroki, H., see Minamisawa, H. 289

Lee, K.H.
—, Ishikawa, T., McNiven, S.J., Nomura, Y., Hiratsuka, A., Sasaki, S., Arikawa, Y. and Karube, I.
Evaluation of chemical oxygen demand (COD) based on coulometric determination of electrochemical oxygen demand (EOD) using a surface oxidized copper electrode 161
Lehtinen, T., see Kulmala, S. 41
Leiner, M.J.P., see Huber, C. 137
Li, J.
— and Dasgupta, P.K.
Chemiluminescence detection with a liquid core waveguideDetermination of ammonium with electrogenerated hypochlorite based on the luminol-hypochlorite reaction 33
Li, K.A., see Yao, G. 319
Li, Z.Q., see Wu, Z.Y. 57

Mahmoud, M.E.
Selective solid phase extraction of mercury(II) by silica gel-immobilized-dithiocarbamate derivatives 297
Manuel Costa, J., see Rodríguez-Fernández, J. 23
Marquette, C.A.
—, Coulet, P.R. and Blum, L.J.
Semi-automated membrane based chemiluminescent immunosensor for flow injection analysis of okadaic acid in mussels 173
Marty, J.-L., see Piletskaya, E.V. 49
Maspoch, S., see Blanco, M. 83
Massart, D.L., see Barbieri, P. 227
Matton, S., see Aupiais, J. 205
McNiven, S.J., see Lee, K.H. 161
Michalowsky, J., see Dreveny, D. 183
Minamisawa, H.
—, Kuroki, H., Arai, N. and Okutani, T.
Coprecipitation of ruthenium with chitosan and its determination by graphite furnace atomic absorption spectrometry 289
Moreda-Piñeiro, A., see Bermejo-Barrera, P. 263
Murao, T., see Yokoyama, T. 75

Nagashima, K., see Nakano, N. 305
Nakano, N.
—, Yamamoto, A., Kobayashi, Y. and Nagashima, K.
An automatic measurement of hydrogen cyanide in air by a monitoring tape method 305
Nishimoto, J., see Yokoyama, T. 75
Nolan, K., see O'Neill, S. 1
Nomura, Y., see Lee, K.H. 161

O'Neill, S.
—, Conway, S., Twellmeyer, J., Egan, O., Nolan, K. and Diamond, D.
Ion-selective optode membranes using 9-(4-diethylamino-2-octadecanoatestyryl)-acridine acidochromic dye 1
Okutani, T., see Minamisawa, H. 289

Pereiro, R., see Rodríguez-Fernández, J. 23
Piazzese, D., see De Stefano, C. 103
Piletskaya, E.V.
—, Piletsky, S.A., El'skaya, A.V., Sozinov, A.A., Marty, J.-L. and Rouillon, R.
D1 protein – an effective substitute for immunoglobulins in ELISA for the detection of photosynthesis inhibiting herbicides 49
Piletsky, S.A., see Piletskaya, E.V. 49
Porcel, M., see Blanco, M. 83
Predonzani, S., see Barbieri, P. 227
Pu, Q.S.
— and Fang, Z.L.
Combination of flow injection with capillary electrophoresis. Part 6.A bias-free sample introduction system based on electro-osmotic-flow traction 65

Reisenhofer, E., see Barbieri, P. 227
Řezanka, T.
— and Řezanková, H.
Characterization of fatty acids and triacylglycerols in vegetable oils by gas chromatography and statistical analysis 253
Řezanková, H., see Řezanka, T. 253
Rodríguez-Fernández, J.
—, Manuel Costa, J., Pereiro, R. and Sanz-Medel, A.
Simple detector for oral malodour based on spectrofluorimetric measurements of hydrogen sulphide in mouth air 23
Rouillon, R., see Piletskaya, E.V. 49

Rubio, R., see Sabé, R. 279
Sabé, R.
—, Rubio, R. and García-Beltrán, L.
Study and comparison of several chemical modifiers for selenium determination in human serum by Zeeman electrothermal atomic absorption spectrometry 279
Sammartaus, S., see De Stefano, C. 103
Sanz-Medel, A., see Rodríguez-Fernández, J. 23
Sasaki, S., see Lee, K.H. 161
Saurina, J., see Smilde, A.K. 237
Setford, S.J.
—, Van Es, R.M., Blankwater, Y.J. and Kröger, S.
Receptor binding protein amperometric affinity sensor for rapid β-lactam quantification in milk 13
Shen, G.L., see Wu, Z.Y. 57
Shibata, Y., see Chatterjee, A. 273
Smilde, A.K.
—, Tauler, R., Saurina, J. and Bro, R.
Calibration methods for complex second-order data 237
Sozinov, A.A., see Piletskaya, E.V. 49

Tashiro, K., see Yokoyama, T. 75
Tauler, R., see Smilde, A.K. 237
Thanasoulias, N.K., see Evmiridis, N.P. 191
Thomas, A.C., see Aupiais, J. 205
Tong, S.Y., see Yao, G. 319
Torro, I. Gil, see Icardo, M. Catalá 311
Troccoli, O.E., see Azubel, M. 93
Tudino, M.B., see Azubel, M. 93
Twellmeyer, J., see O'Neill, S. 1

Väre, L., see Kulmala, S. 41
Van Es, R.M., see Setford, S.J. 13
van Loon, L.R., see Glaus, M.A. 111
Verdura-Constenla, E.M., see Bermejo-Barrera, P. 263
Vieira, I.d.C.
—, Fatibello-Filho, O. and Angnes, L.
Zucchini crude extract-palladium-modified carbon paste electrode for the determination of hydroquinone in photographic developers 145
Vlessidis, A.G., see Evmiridis, N.P. 191

Wang, S.P., see Wu, Z.Y. 57
Werner, T., see Huber, C. 137
Wolfbeis, O.S., see Huber, C. 137
Wu, Z.Y.
—, Shen, G.L., Li, Z.Q., Wang, S.P. and Yu, R.Q.
A direct immunoassay for schistosoma japonium antibody (SjAb) in serum by piezoelectric body acoustic wave sensor 57

Yamamoto, A., see Nakano, N. 305
Yanase, A., see Yokoyama, T. 75
Yao, G.
—, Li, K.A. and Tong, S.Y.
Study on the interaction of protein with Sulfonazo III by Rayleigh light scattering technique and its application 319
Yokoyama, T.
—, Tashiro, K., Murao, T., Yanase, A., Nishimoto, J. and Zenki, M.
Determination of complex formation constants for Cu(II)–Alizarin complexone with amines by capillary zone electrophoresis 75
Yu, R.Q., see Wu, Z.Y. 57

Zamora, L. Lahuerta, see Icardo, M. Catalá 311
Zenki, M., see Yokoyama, T. 75
Zhang, H.
— and Davison, W.
Diffusional characteristics of hydrogels used in DGT and DET techniques 329